CHARCOAL BRIQUETS



### SECTION I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**TRADE NAME:** Charcoal Briquets

BRAND NAMES: Royal Oak, Great Lakes, Grill Time, Nature-Glo, Ole Diz and private labels. DATE: 08/03/2010 SUPERSEDES DATE: 01/02/2009

MANUFACTURER: ROYAL OAK ENTERPRISES, LLC.

ADDRESS: 1 Royal Oak Avenue Roswell, GA 300076

MANUFACTURER PHONE: 678 461-3200 24/7 EMERGENCY PHONE: CHEMTREC. 800-424-9300 24/7 HEALTH EMERGENCIES: 323-222-3212

#### SECTION II - COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	EINECS #	%
Char dust	16291-96-6	240-383-3	75-80
Limestone	1317-65-3	215-279-6	< 15
Sawdust	NE	NE	< 10

### **SECTION III - HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW:** The following comments refer to the accumulated dust, not the briquets. Contact with dust will irritate the eyes and the respiratory tract. Avoid strong oxidizing agents.

### POTENTIAL HEALTH EFFECTS:

**ROUTES OF ENTRY:** Eye contact and inhalation.

TARGET ORGANS: Eyes and respiratory system.

**INHALATION:** Overexposure to the dust from briquet breakage may cause transitory upper respiratory irritation.

SKIN CONTACT: Is not a route of entry unless through open cuts and abrasions.

**EYE CONTACT:** Dust from the briquet breakage may cause irritation to the eyes.

**INGESTION:** Not likely, charcoal is used as a poison absorbent, thus no lasting harmful effects if swallowed.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** May cause upper respiratory irritation and sensitive eyes.

CARCINOGENICITY: Not listed by NTP or IARC. Not regulated as a carcinogen by OSHA.

# CHARCOAL BRIQUETS

### **SECTION IV - FIRST AID MEASURES**

**INHALATION:** Move to an area free from risk of further exposure, intentional sneezing or coughing can provide comfort. No adverse effects anticipated by this route of exposure incidental to proper handling.

**EYE CONTACT:** Flush with clean, lukewarm water raising upper and lower eyelids at low pressure for 15 minutes. Seek medical attention if no relief.

SKIN CONTACT: Wash affected areas with soap and water.

**INGESTION:** If eaten and victim complains of discomfort, induce vomiting. Lower the head when person is vomiting to minimize entry into throat and lungs.

#### **SECTION V - FIREFIGHTING MEASURES**

FLASHPOINT AND METHOD: ND

FLAMMABLE LIMITS: ND

**EXTINGUISHING METHOD:** Use dry chemicals, carbon dioxide and foam.

**FIRE OR EXPLOSION HAZARDS:** This material under complete combustion will form oxides of carbon.

**SPECIAL FIREFIGHTING PROCEDURES:** Keep upwind of fire. Full emergency equipment with self-contained breathing apparatus and full protective clothing should be worn by firefighters.

### SECTION VI - ACCIDENTAL RELEASE MEASURES

**SPILL OR LEAK PROCEDURES:** Wear PPE. Avoid breathing char dust and place the collected material in a closed container.

Finish cleaning the area with small amounts of soap and water on the spill area.

#### SECTION VII - HANDLING AND STORAGE

**STORAGE TEMPERATURE:** Keep containers tightly closed and at room temperature.

**SPECIAL SENSITIVITY:** Avoid agitation of container to create breakage. Use outdoors with good ventilation.

**HANDLING AND STORAGE PRECAUTIONS:** Avoid breathing the char dust. Avoid eye contact with dust. Keep in cool dry area. Provide a cool well-ventilated area. Use normal safety procedures and good personal hygiene.

#### SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

**OSHA PEL** Char dust 0.4 mg/mg<sup>3</sup>, Sawdust 1 mg/mg<sup>3</sup> and Limestone 15 mg/mg<sup>3</sup>

**EYE PROTECTION:** Use safety glasses or goggles, there is potential for dust exposure that may cause injury to the eyes.

# CHARCOAL BRIQUETS

SKIN PROTECTION: Wear fabric gloves.

**RESPIRATORY PROTECTION:** A dust respirator may be used..

**ENGINEERING CONTROLS:** Product is used outdoors, avoid breathing the char dust from broken briquets and the burning vapors.

#### **SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL FORM: Solid COLOR: Opaque black pillow-shaped briquets. ODOR: Odorless SOLUBILITY IN WATER: Negligible SPECIFIC GRAVITY (water=1): 2 to 3 @ 68 °F (20 °C)

### **SECTION X - REACTIVITY**

**STABILITY:** This product is stable material under normal conditions of storage and handling.

HAZARDOUS POLYMERIZATION: Will not occur.

**INCOMPATIBLES:** Avoid contact with strong oxidizing agents.

**DECOMPOSITION PRODUCTS:** Product will burn and the products of complete combustion are oxides of carbon.

### SECTION XI - TOXICOLOGICAL/ECOLOGICAL INFORMATION

Product is not toxic by definition.

The significant routes of exposure are inhalation and eyes.

### SECTION XII - DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL METHOD:** This material is solid with char dust from briquet breakage, wear dust mask or dust respirator and remove the solid material. Dispose according to the regulations of local, state and Federal regulatory agencies.

#### SECTION XIII - TRANSPORTATION INFORMATION

US DOT SHIPPING NAME: Not hazardous by ground shipment, per 49 CFR Part 172.101(12)(iv).

IATA SHIPPING NAME: Forbidden

IMO SHIPPING NAME: UN1361, Carbon, 4.2, III

Use packing instructions P002 and LP002.

## CHARCOAL BRIQUETS

Ν

#### **SECTION XIV - REGULATORY INFORMATION**

**OSHA STATUS:** This product is not hazardous under the OSHA criteria.

TSCA STATUS: Not listed.

CERCLA REPORTABLE QUANTITY: Not regulated under CERCLA.

CALIFORNIA PROPOSITION 65: Not regulated under California Proposition 65.

#### SARA HAZARD NOTIFICATION/REPORTING

IMMEDIATE Y FIRE N SUDDEN RELEASE OF PRESSURE

DELAYED <u>N</u> REACTIVE <u>N</u>

SARA TITLE III: None.

SECTION 302 EXTREMELY HAZARDOUS: None. SECTION 311/312 HAZARD CATEGORIES: None. SECTION 313 TOXIC CHEMICALS: None.

RCRA STATUS: Not regulated under RCRA

Right to Know; Product is not listed.

#### SECTION XV – OTHER INFORMATION/APPROVALS

National Fire Protection Association (NFPA) Hazardous Materials Identification System (HMIS) NFPA

HMIS

1

1

0

Е

- 1 Health
- 1 Flammability
- 0 Instability
- 0 Least 1 Slight 2 Moderate 3 High 4 Severe
- Health Flammability Reactivity PPE

### SECTION XVI – ABBREVIATIONS /DISCLAIMER

REASON FOR ISSUE: New section XVI (16) format.

DBelau@comcast.net

APPROVAL DATE: 08/05/2010 PREPARED BY: Dennis Belau

**REVIEWED BY:** Regulatory division

Abbreviations:

/	AICS	Australian Inventory of Chemical Substances
(	CAS #	Chemical Abstract Service Number
c	°C	Celsius temperature scale
(	CI	China
[	DSL	Canada
E	ECL	Korean Existing Chemicals List
E	EEC	European Economic Commission
E	ENCS	Japanese Existing and New Chemical List
E	EINECS #	European Inventory of Existing Chemical Substances Number
E	EU	European Union °F

# CHARCOAL BRIQUETS

(Israel)	2001 proposed list of chemical substances to be regulated under Israel Hazardous Substances Law and Regulations List
MAC	Netherlands
MAK	Germany
MITI	Ministry of International trade and Industry
NA	Not applicable
MITI	Japan
ND	Not determined
NE	None established
PICCS	Philippines
PPE	Personal Protective Equipment
Prop.	Proprietary
SWISS	Giftliste 1
SWISS	inventory of Notified New Substances
TSCA	Toxic Substance Control Act
(Taiwan)	List of Toxic Chemical Substances regulated under Taiwan Toxic
	Chemical Substances Control Act of 1086
UK	United Kingdom
USA	United States

#### Disclaimer

This information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particulars purposes. In no event shall Royal Oak Enterprises, LLC be liable for any claims, losses or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, how so ever arising, even if company has been advised of the possibility of such damages