

FLOOR SCIENCE Stripper

HMIS		NFPA	Personal protective equipment			
Health Fire Hazard Reactivity	3 0 0	3 0 0				
Version Number: 2			Preparation date: 2011-05-19			
		1. PRO	DUCT AND COMPANY IDENTIFICATION			
Product name:		FLOOF	R SCIENCE Stripper			
MSDS #: Product Code: Recommended use:		MS050 511600 Floor si				
Manufacturer, importer, supplier: US Headquarters Diversey, Inc. 8310 16th St. Sturtevant, Wisconsin 53177-1964 Phone: 1-888-352-2249 MSDS Internet Address: www.diversey.		ey.com	Canadian Headquarters Diversey, Inc Canada, Inc. 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131			
Emergency telephone number:		1-800-8	351-7145 (U.S.); 1-651-917-6133 (Int'l)			
2. HAZARDS IDENTIFICATION						
	CAUSES		E BURNS. HARMFUL OR FATAL IF SWALLOWED.			
Principal routes of exposure:Eye contact.Inhalation.Eye contact:Corrosive.Causes permanent eye damage, including blindness.Skin contact:Corrosive.Causes permanent damage.Inhalation:May cause irritation and corrosive effects to nose, throat and respiratory tract.Ingestion:Corrosive.Causes burns to mouth, throat and stomach.						

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Sodium hydroxide	1310-73-2	5 - 10%	Not available	1350 mg/kg	Not available
Monoethanolamine	141-43-5	5 - 10%	1720	1 mL/kg 1025 mg/kg	Not available
Ethyl alcohol	64-17-5	0.1 - 1.5%	7060	Not available	124.7 mg/L (4 h)

4. FIRST AID MEASURES Eye contact: Skin contact: Inhalation: Ingestion: Aggravated Medical Conditions: Aggravated Medical Conditions:

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Specific hazards: Unusual hazards: Specific methods: The product is not flammable. Extinguish fire using agent suitable for surrounding fire. Not applicable None known No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Environmental precautions and clean-up methods: Use personal protective equipment Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERICAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

Eye protection:	Chemical-splash goggles.
Hand protection:	Chemical-resistant gloves
Skin and body protection:	Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.
Respiratory protection:	In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Sodium hydroxide	1310-73-2	2 mg/m ³ (Ceiling)	2 mg/m ³ (TWA)	2 mg/m ³ (Ceiling)
Monoethanolamine	141-43-5	6 ppm (STEL) 3 ppm (TWA)	3 ppm (TWA) 6 mg/m³ (TWA)	6 ppm (STEL) 15 mg/m ³ (STEL) 3 ppm (TWA) 8 mg/m ³ (TWA)
Ethyl alcohol	64-17-5	1000 ppm (STEL)	1000 ppm (TWA) 1900 mg/m³ (TWA)	1000 ppm (TWA) 1900 mg/m³ (TWA)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Appearance: Liquid Specific gravity: 1.089 Vapor density: No information available Boiling point/range: Not determined Decomposition temperature: Not determined Solubility: Completely Soluble Solubility in other solvents: No information available Partition coefficient (n-octanol/water): No information available Elemental Phosphorus: 0 % by wt. pH: No information available Explosion limits: - upper: Not determined - lower: Not determined Bulk density: No information available Evaporation Rate No information available Color: Clear Colorless Odor: No Odor/Odorless Melting point/range: Not determined Autoignition temperature: No information available Density: 9.08 lbs/gal Kg/L Flash point: °F °C Viscosity:No information available VOC: 5.1 % * Dilution pH: No information available.

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability: Polymerization: Hazardous decomposition products:	The product is stable Hazardous polymerization does not occur None reasonably foreseeable.	
	11. TOXICOLOGICAL INFORMATION	
Acute toxicity:	Corrosive Oral LD50 estimated to be between 2000 - 3000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg	
Component Information:	See Section 3	
Chronic toxicity:	None known	
Specific effects		
Carcinogenic effects:	None known	
Mutagenic effects:	None known	
Reproductive toxicity:	None known	
Target organ effects:	None known	

12. ECOLOGICAL INFORMATION

Environmental Information:

No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, http://naextranet.diversey.com/dot/, for up to date shipping information.

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Sodium hydroxide	1310-73-2	Х	Х	Х	Х
Monoethanolamine	141-43-5	Х	Х	Х	Х
Ethyl alcohol	64-17-5	Х	Х	Х	Х
Water	7732-18-5	-	-	-	-

CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hydroxide	1310-73-2	5 - 10%	1000		

SARA 311/312 Hazard Categories

Immediate:	Х
Delayed:	-
Fire:	-

Reactivity: Sudden Release of Pressure:

Canada WHMIS hazard class: E Corrosive material



16. OTHER INFORMATION

Reason for revision: Prepared by: Additional advice: Not applicable NAPRAC None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.