

## SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/8

### Isopropyl Alcohol 70%

Revision 1  
Revision date 2019-03-05

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name	Isopropyl Alcohol 70%
Product code	79200, 79201

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);
Description	For animal use only. For external use only.

##### 1.3. Details of the supplier of the safety data sheet

Company	Neogen Corporation
Address	620 Leshler Place Lansing MI 48912 USA
Web	www.neogen.com
Telephone	517-372-9200/800-234-5333
Email	regulatorysupport@neogen.com

##### 1.4. Emergency telephone number

Emergency telephone number	1-800-234-5333
----------------------------	----------------

##### Further information


Manufactured By:	Neogen Corporation 944 Nandino Blvd. Lexington, KY 40511-1205 U.S.A.
Hotline(s):	Medical: United States (1-800-498-5743), International (1-651-523-0318). Spill/CHEMTREC: United States (1-800-424-9300), International (1-703-527-3887).

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

2.1.2. Classification - GHS	Flam. Liq. 3: H226; Eye Irrit. 2: H319; STOT SE 3: H336;
-----------------------------	--

##### 2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour.

## Isopropyl Alcohol 70%

Revision 1  
Revision date 2019-03-05

## 2.2. Label elements

<b>Precautionary Statement: Prevention</b>	Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H336 - May cause drowsiness or dizziness.
<b>Precautionary Statement: Response</b>	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting// equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
<b>Precautionary Statement: Storage</b>	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to an approved waste disposal facility in accordance with local and national regulations.

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isopropanol (2-Propanol)	603-117-00-0	67-63-0	200-661-7			Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
<b>Eye contact</b>	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	DO NOT INDUCE VOMITING unless advised to do so by a doctor. Seek medical attention if irritation or symptoms persist.

## 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	May cause irritation to respiratory system. May cause dizziness and headache.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Skin contact</b>	Causes skin irritation.

# Isopropyl Alcohol 70%

Revision 1  
Revision date 2019-03-05

## 4.2. Most important symptoms and effects, both acute and delayed

Ingestion	Ingestion may cause nausea and vomiting.
-----------	--

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

### 5.2. Special hazards arising from the substance or mixture

	Flammable liquid. Burning produces irritating, toxic and obnoxious fumes.
--	---

### 5.3. Advice for firefighters

	In case of fire and/or explosion do not breathe fumes. Wear suitable respiratory equipment when necessary.
--	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Wear suitable protective equipment. Avoid contact with eyes and skin.
--	--

### 6.2. Environmental precautions

	Prevent further spillage if safe. Do not flush into surface water. Do not let product contaminate subsoil.
--	--

### 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

### 6.4. Reference to other sections

	See section 2, 8, and 13 for further information.
--	---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Refer to label for complete indications, dosing, storage, and handling.
--	--

### 7.2. Conditions for safe storage, including any incompatibilities

	Flammable liquid. Avoid contact with: Heat, sparks and open flames. Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers. Refer to label for complete indications, dosing, storage, and handling.
--	--

### 7.3. Specific end use(s)

	See section 1.2 for further information.
--	--

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limit Values



## Isopropyl Alcohol 70%

Revision 1  
Revision date 2019-03-05

## Exposure Limit Values

Isopropanol (2-Propanol)	ACGIH TLV TWA: 200 ppm	ACGIH TLV STEL: 400 ppm
	Notations: A4	OSHA PEL 8hr TWA ppm: 400
	OSHA PEL 8hr TWA mg m3: 980	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:

## 8.2. Exposure controls

	 
Appropriate engineering controls	Ensure adequate ventilation of the working area.
Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Wear eye/face protection.
Skin protection - Hand protection	Wear suitable gloves.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

<b>State</b>	Liquid
<b>Color</b>	Clear/Colorless
<b>Odor</b>	Alcoholic
<b>Odour threshold</b>	No data available
<b>pH</b>	No data available
<b>Melting point</b>	No data available
<b>Freezing Point</b>	No data available
<b>Boiling point</b>	No data available
<b>Flash point</b>	23.3 °C
<b>Evaporation rate</b>	No data available
<b>Flammability limits</b>	Not applicable.
<b>Vapor pressure</b>	No data available
<b>Vapor density</b>	No data available
<b>Partition coefficient</b>	No data available
<b>Autoignition temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive properties</b>	No data available
<b>Oxidising properties</b>	No data available
<b>Solubility</b>	Soluble in water

## 9.2. Other information

<b>Specific gravity</b>	0.85 - 0.86
<b>VOC (Volatile organic compounds)</b>	No data available

## SECTION 10: Stability and reactivity

# Isopropyl Alcohol 70%

Revision 1  
Revision date 2019-03-05

## 10.1. Reactivity

	Flammable liquid and vapour.
--	------------------------------

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## 10.3. Possibility of hazardous reactions

	No data available.
--	--------------------

## 10.4. Conditions to avoid

	Keep away from sources of ignition - No smoking.
--	--

## 10.5. Incompatible materials

	Strong oxidizing agents.
--	--------------------------

## 10.6. Hazardous decomposition products

	Carbon oxides.
--	----------------

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	May cause dizziness and headache.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause allergic reactions in susceptible people.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, Volumes 1-112. Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens. Not listed in the OSHA standard 1910.1003 Carcinogens.
Reproductive toxicity	No teratogenic effects reported.
STOT-single exposure	May cause irritation to respiratory system. May cause dizziness and headache.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.

### 11.1.4. Toxicological information

Isopropanol	Oral Rat LD50: 4396 mg/kg
Isopropyl Alcohol 70%	Oral Rat LD50: 5045

## SECTION 12: Ecological information

### 12.1. Toxicity

	No data available
--	-------------------

### 12.2. Persistence and degradability

	No data available.
--	--------------------

### 12.3. Bioaccumulative potential

--	--

### Partition coefficient

	Isopropyl Alcohol 70% No data available
--	---

## Isopropyl Alcohol 70%

Revision 1  
Revision date 2019-03-05**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Dispose of in compliance with all local and national regulations.

**General information**

Dispose of in compliance with all local and national regulations. Do not contaminate water by cleaning of equipment or disposal of wastes.

**Disposal of packaging**

Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.

**SECTION 14: Transport information****Hazard pictograms****14.1. UN number**

UN1219

**14.2. UN proper shipping name**

ISOPROPYL ALCOHOL (70% Solution)

**14.3. Transport hazard class(es)**

DOT	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

**14.4. Packing group**

Packing group II

**14.5. Environmental hazards**

Environmental hazards	No
Marine pollutant	No

**DOT**

Hazard ID	33
Tunnel Category	(D/E)

**IMDG**

EmS Code F-E S-D

**IATA**

Packing Instruction (Cargo)	364
Maximum quantity	60 L
Packing Instruction (Passenger)	353

## Isopropyl Alcohol 70%

Revision 1  
Revision date 2019-03-05

## IATA

Maximum quantity 5 L

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>Regulations</b>	<p>Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.</p> <p>All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory. Materials are exempt from TSCA under Section 3(2)(B)(vi) when used in pharmaceutical application.</p> <p>US State Regulations: New Jersey Right-to-Know Hazardous Substance List: 2-propanol</p> <p>Pennsylvania Right-to-Know Hazardous Substance List: Isopropanol.</p> <p>Rhode Island Right-to-Know Hazardous Substance List: Isopropanol.</p>
--------------------	--

## Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Isopropanol (2-Propanol)	Y	N	Y 1.0	N	N	N	N	N	N

## Further information

	<p>The labeling requirements of the Federal Food, Drug, and Cosmetic Act differ from the classification criteria and hazard information required for safety data sheets and for workplace labels under the OSHA Hazard Communication Standard 29 CFR 1910.1200. Following is the hazard information as required on the drug label:</p> <p>Keep out of reach of children. For animal use only. For external use only. Not for human use.</p> <p>NDC# 59051-231-01, 59051-231-32.</p>
--	---

## SECTION 16: Other information

## Other information

<b>Revision</b>	This document differs from the previous version in the following areas: 15 - Further information.
<b>Text of Hazard Statements in Section 3</b>	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H336 - May cause drowsiness or dizziness.

## Further information

	<p>DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.</p>
--	--

# Isopropyl Alcohol 70%

Revision 1  
Revision date 2019-03-05

## Further information

Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.