acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations


Revision: November 23, 2021

Zĩppo

## 1 Identification

- Product identifier
- · Trade name: Zippo Lighter Fluid
- · Recommended use and restriction on use
- · Recommended use: Fuel
- · Restrictions on use: Contact manufacturer/supplier
- <sup>•</sup> Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier:
- Zippo Manufacturing Company 33 Barbour Street Bradford, PA 16701 Phone: 814-368-2700
- · Emergency telephone number: ChemTel Inc.
- (800)255-3924 (North America) +1 (813)248-0585 (International)

## 2 Hazard(s) identification



(Cont'd. on page 2)

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

## Revision: November 23, 2021

#### Trade name: Zippo Lighter Fluid (Cont'd. of page 1) P280 Wear protective gloves and eye protection. P301+P310 If swallowed: Immediately call a poison center/doctor. P331 Do NOT induce vomiting. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340 Call a poison center/doctor if you feel unwell. P312 If skin irritation occurs: Get medical advice/attention. P332+P313 Take off contaminated clothing and wash it before reuse. P362+P364 In case of fire: Use foam, powder, or carbon dioxide for extinction. P370+P378 P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • Other hazards There are no other hazards not otherwise classified that have been identified.

## **3** Composition/information on ingredients

## · Chemical characterization: Mixtures

## · Components:

	oomponents.	
ſ	68410-97-9 Distillates (petroleum), light distillate hydrotreating process, low-boiling	50-100%
	Flam. Liq. 2, H225	
	🚯 Asp. Tox. 1, H304	
	🔥 Skin Irrit. 2, H315; STOT SE 3, H336	
ſ	64742-49-0 Naphtha (petroleum), hydrotreated light	25-50%
	🚸 Flam. Liq. 2, H225	
	🚯 Asp. Tox. 1, H304	
	🔥 STOT SE 3, H336	

#### · Additional information:

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

## 4 First-aid measures

## Description of first aid measures

## After inhalation:

Supply fresh air; consult doctor in case of complaints. Provide oxygen treatment if affected person has difficulty breathing. In case of unconsciousness place patient stably in side position for transportation. • After skin contact: Immediately remove any clothing soiled by the product. Immediately wash with water and soap and rinse thoroughly. If skin irritation is experienced, consult a doctor. · After eye contact: Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eve for several minutes under running water. If symptoms persist, consult a doctor.

(Cont'd. on page 3)

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

## Revision: November 23, 2021

Trade name: Zippo Lighter Fluid (Cont'd. of page 2) • After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. Irritant to skin and mucous membranes. Danger: Vapors have narcotic effect. May be fatal if swallowed and enters airways. Indication of any immediate medical attention and special treatment needed: If swallowed, gastric irrigation with added, activated carbon. If swallowed or in case of vomiting, danger of entering the lungs. Monitor circulation, possible shock treatment. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. If medical advice is needed, have product container or label at hand. 5 Fire-fighting measures • Extinguishing media • Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · For safety reasons unsuitable extinguishing agents: Water stream. · Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide (CO) In certain fire conditions, traces of other toxic gases cannot be excluded. <sup>•</sup> Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. • Additional information: Cool endangered containers with water fog.

## 6 Accidental release measures

## <sup>•</sup> Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Wear protective clothing. Particular danger of slipping on leaked/spilled product. Keep away from ignition sources. Protect from heat.

## **Environmental precautions**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 23, 2021

Trade name: Zippo Lighter Fluid	
Methods and material for containment and cleaning up	(Cont'd. of page 3)

Absorb liquid components with liquid-binding material.

Send for recovery or disposal in suitable receptacles.

## **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

## · Handling

· Precautions for safe handling:

- Use only in well ventilated areas.
- Prevent formation of aerosols.

Keep receptacles tightly sealed.

- Information about protection against explosions and fires:
- Protect from heat.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

## Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Use only receptacles specifically permitted for this substance/product.

· Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from foodstuffs.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• Specific end use(s) No relevant information available.

## 8 Exposure controls/personal protection

## · Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

## • Exposure controls

· Engineering measures Provide adequate ventilation.

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid close or long term contact with the skin.

Keep ignition sources away - Do not smoke.

• Engineering controls: Provide adequate ventilation.

· Breathing equipment:

(Cont'd. on page 5)

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

## Revision: November 23, 2021

 Trade name: Zippo Lighter Fluid
 (Cont'd. of page 4)

 Not required under normal conditions of use.
 Use suitable respiratory protective device when aerosol or mist is formed.

 For spills, respiratory protection may be advisable.
 Protection of hands:

 Not required under normal conditions of use.
 Wear protective gloves to handle contents of damaged or leaking units.

 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Eye protection:

 Safety glasses
 Follow relevant national guidelines concerning the use of protective eyewear.

 Body protection: Not required under normal conditions of use.
 Limitation and supervision of exposure into the environment No relevant information available.

• Risk management measures See Section 7 for additional information.

Information on basic physical and chemical properties					
Appearance: Form:	Liquid				
Color:	According to product specification				
Odor:	Petroleum-like				
Odor threshold:	Not determined.				
pH-value:	Not determined.				
Melting point/Melting range:	Not determined.				
Boiling point/Boiling range:	> 35 °C (>95 °F)				
Flash point:	<-6.5 °C (<20.3 °F)				
Flammability (solid, gaseous):	Not applicable.				
Decomposition temperature:	Not determined.				
Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.				
Explosion limits					
Lower:	Not determined.				
Upper:	Not determined.				
Vapor pressure:	Not determined.				
Density at 20 °C (68 °F):	0.7 ± 0.05 g/cm³ (5.84 lbs/gal)				
Relative density:	Not determined.				
Vapor density:	Not determined.				
Evaporation rate at 20 °C (68 °F):	> 1				

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

#### Revision: November 23, 2021

		(Cont'd. of page
Water:	Partly miscible.	
Partition coefficient (n-octand	ol/water): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

## 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions
- Forms explosive gas mixture with air.
- Can react violently with oxygen rich (oxidizing) material. Danger of Explosion.
- <sup>·</sup> Conditions to avoid
- Keep ignition sources away Do not smoke.
- Store away from oxidizing agents.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products Carbon monoxide and carbon dioxide

## 11 Toxicological information

## <sup>·</sup> Information on toxicological effects

- Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Based on available data, the classification criteria are not met.
- Sensitization: Based on available data, the classification criteria are not met.

## · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

## • NTP (National Toxicology Program):

None of the ingredients are listed.

## · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

## · Probable route(s) of exposure:

Ingestion.

Inhalation. Eve contact.

Skin contact.

## • Acute effects (acute toxicity, irritation and corrosivity):

May be fatal if swallowed and enters airways.

(Cont'd. on page 7)

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

## Revision: November 23, 2021

## Trade name: Zippo Lighter Fluid

(Cont'd. of page 6)

Irritating to skin.

May cause drowsiness or dizziness.

• Repeated dose toxicity: No relevant information available.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

• Carcinogenicity: Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

• STOT-single exposure: May cause drowsiness or dizziness.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: May be fatal if swallowed and enters airways.

## **12 Ecological information**

## <sup>·</sup> Toxicity

· Aquatic toxicity Toxic to aquatic life with long lasting effects.

Persistence and degradability Not easily biodegradable

- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.

## Additional ecological information

## · General notes:

This statement was deduced from the properties of the single components.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

## <sup>•</sup> Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No relevant information available.

## **13 Disposal considerations**

## <sup>·</sup> Waste treatment methods

## · Recommendation:

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

## <sup>·</sup> Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

## **14 Transport information**

## <sup>·</sup> UN-Number

(Cont'd. on page 8)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 23, 2021

de name: Zippo Lighter Fluid	
	(Cont'd. of pag
DOT, ADR, IMDG, IATA	UN1268
UN proper shipping name	
Limited Quantity for packages less gal).	s than 30 kg (66 lb) and inner packagings less than 1 L (
DOT, IATA ADR, IMDG	Petroleum distillates, n.o.s. PETROLEUM DISTILLATES, N.O.S.
Transport hazard class(es)	
DOT	
Class	3
Label	3
ADR	
Class	3 (F1)
	3
IMDG, IATA	
Class	3
Label	3
Packing group DOT, ADR, IMDG, IATA	II
Environmental hazards	Product contains environmentally hazardo substances: Distillates (petroleum), light distilla hydrotreating process, low-boiling, Napht (petroleum), hydrotreated light
Special precautions for user Danger code (Kemler):	Warning: Flammable liquids 33
EMS Number:	F-E,S-E
Transport in bulk according to Annex	c II of
MARPOL73/78 and the IBC Code	Not applicable.

(Cont'd. on page 9)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 23, 2021

Trade name: Zippo Lighter Fluid

(Cont'd. of page 8)

m	afety, health and environmental regulations/legislation specific for the substance ixture
	nited States (USA) ARA
	ection 302 (extremely hazardous substances):
N	one of the ingredients are listed.
S	ection 355 (extremely hazardous substances):
N	one of the ingredients are listed.
S	ection 313 (Specific toxic chemical listings):
N	one of the ingredients are listed.
Т	SCA (Toxic Substances Control Act)
Al	I ingredients are listed.
P	roposition 65 (California)
С	hemicals known to cause cancer:
N	one of the ingredients are listed.
С	hemicals known to cause developmental toxicity for females:
N	one of the ingredients are listed.
С	hemicals known to cause developmental toxicity for males:
N	one of the ingredients are listed.
С	hemicals known to cause developmental toxicity:
N	one of the ingredients are listed.
E	PA (Environmental Protection Agency):
N	one of the ingredients are listed.
IA	RC (International Agency for Research on Cancer):
N	one of the ingredients are listed.
С	anadian Domestic Substances List (DSL) (Substances not listed.):
AI	l ingredients are listed.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistant, Bio-accumulable, Toxic
- vPvB: very Persistent and very Bioaccumulative

(Cont'd. on page 10)

Page: 10/10

# Safety Data Sheet

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

#### Revision: November 23, 2021

#### Trade name: Zippo Lighter Fluid

(Cont'd. of page 9) Flam. Liq. 2: Flammable liquids - Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com